Information for 2018205


mu_5 (V)
5.05
5.00
4.95
0
5
10
15
20
25
time in hours from 0 UT 2018205


mu_cpu_brd_temp (C)
27.5
27.0
26.5
0
5
10
15
20
25
time in hours from 0 UT 2018205


egs_5 (V)
5.01
5.00
4.99
4.98
4.97
0
5
10
15
20
25
time in hours from 0 UT 2018205


egs_lamp_mon (V)
0.0
-0.5
-1.0
-1.5
0
5
10
15
20
25
time in hours from 0 UT 2018205


egs_hv_mon (V)
2.1
2.0
1.9
1.8
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_5 (V)
5.04
5.02
5.00
4.98
4.96
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_egs_xneg_zneg_temp (C)
23.0
22.8
22.6
22.4
22.2
22.0
21.8
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_pos_1 (DEG)
115
114
113
112
111
110
0
5
10
15
20
25
time in hours from 0 UT 2018205


xps_5 (V)
5.04
5.02
5.00
4.98
4.96
0
5
10
15
20
25
time in hours from 0 UT 2018205


xps_pos (DN)
8
6
4
2
0
0
5
10
15
20
25
time in hours from 0 UT 2018205


egs_door_temp (C)
29.5
29.0
28.5
28.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


egs_cntl_fpga_temp (C)
33.0
32.5
32.0
31.5
0
5
10
15
20
25
time in hours from 0 UT 2018205


egs_gci_brd_temp (C)
33.0
32.5
32.0
31.5
0
5
10
15
20
25
time in hours from 0 UT 2018205


egs_det_temp (C)
28.5
28.0
27.5
0
5
10
15
20
25
time in hours from 0 UT 2018205


egs_4 (V)
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2018205


egs_case_mid_temp (C)
26.0
25.5
25.0
24.5
0
5
10
15
20
25
time in hours from 0 UT 2018205


egs_15pos (V)
15.10
15.05
15.00
14.95
14.90
14.85
14.80
0
5
10
15
20
25
time in hours from 0 UT 2018205


egs_5_conv_temp (C)
32.5
32.0
31.5
31.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


egs_sas_temp (C)
34
33
32
31
0
5
10
15
20
25
time in hours from 0 UT 2018205


egs_hvps_temp (C)
30.0
29.5
29.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


egs_15neg (V)
-14.80
-14.85
-14.90
-14.95
-15.00
-15.05
-15.10
0 5 10 15 20 25
time in hours from 0 UT 2018205


egs_lamp_temp (C)
26.0
25.5
25.0
0 5 10 15 20 25
time in hours from 0 UT 2018205


egs_slit_temp (C)
28.0
27.5
27.0
26.5
0 5 10 15 20 25
time in hours from 0 UT 2018205


egs_15_conv_temp (C)
32.5
32.0
31.5
0 5 10 15 20 25
time in hours from 0 UT 2018205


egs_chg_amp_temp (C)
28.5
28.0
27.5
0 5 10 15 20 25
time in hours from 0 UT 2018205


egs_adc_temp (C)
36.5
36.0
35.5
35.0
34.5
0 5 10 15 20 25
time in hours from 0 UT 2018205


xps_xp2_temp (C)
25.5
25.0
24.5
24.0
23.5
23.0
0 5 10 15 20 25
time in hours from 0 UT 2018205


xps_data_fpga_temp (C)
27
26
25
24
23
0 5 10 15 20 25
time in hours from 0 UT 2018205


xps_xp1_temp (C)
25.5
25.0
24.5
24.0
23.5
0 5 10 15 20 25
time in hours from 0 UT 2018205


xps_4 (V)
3.95
3.90
3.85
0 5 10 15 20 25
time in hours from 0 UT 2018205


xps_front_xneg_temp (C)
25.0
24.5
24.0
23.5
23.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


xps_back_xneg_temp (C)
25.0
24.5
24.0
23.5
0
5
10
15
20
25
time in hours from 0 UT 2018205


xps_15neg (V)
-14.95
-15.00
-15.05
0
5
10
15
20
25
time in hours from 0 UT 2018205


xps_5_conv_temp (C)
29
28
27
26
25
24
23
0
5
10
15
20
25
time in hours from 0 UT 2018205


xps_front_xpos_temp (C)
24.5
24.0
23.5
23.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


xps_18_conv_temp (C)
24.5
24.0
23.5
23.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


xps_motor_temp (C)
24.5
24.0
23.5
23.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


xps_back_xpos_temp (C)
24.5
24.0
23.5
23.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


xps_gci_brd_temp (C)
27
26
25
24
23
0
5
10
15
20
25
time in hours from 0 UT 2018205


xps_15_conv_temp (C)
28
26
24
0
5
10
15
20
25
time in hours from 0 UT 2018205


xps_adc_temp (C)
30
28
26
24
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_pos_2 (DEG)
115
114
113
112
111
110
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_sas_temp (C)
33.5
33.0
32.5
32.0
31.5
31.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_4 (V)
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_15pos (V)
15.04
15.02
15.00
14.98
14.96
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_5_conv_temp (C)
28
27
26
25
24
23
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_4_conv_temp (C)
26
25
24
23
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_15neg (V)
-14.90
-14.95
-15.00
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_egs_xpos_zpos_temp (C)
24.0
23.8
23.6
23.4
23.2
23.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_xps_xneg_zneg_temp (C)
24.0
23.5
23.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_ecu_temp (C)
24.5
24.0
23.5
23.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_xps_xpos_zpos_temp (C)
24.0
23.8
23.6
23.4
23.2
23.0
22.8
22.6
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_15_conv_temp (C)
28
27
26
25
24
23
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_actuator_temp (C)
26.2
26.0
25.8
25.6
25.4
25.2
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_adc_temp (C)
30
28
26
24
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_cntl_fpga_temp (C)
26
25
24
23
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_gci_brd_temp (C)
26
25
24
23
0
5
10
15
20
25
time in hours from 0 UT 2018205


sspp_egs_xneg_zpos_temp (C)
24.2
24.0
23.8
23.6
23.4
23.2
23.0
22.8
0
5
10
15
20
25
time in hours from 0 UT 2018205


mu_adc_temp (C)
30.5
30.0
29.5
0
5
10
15
20
25
time in hours from 0 UT 2018205


mu_adc_brd_temp (C)
27.5
27.0
26.5
0
5
10
15
20
25
time in hours from 0 UT 2018205


mu_4 (V)
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2018205


mu_gci_fpga_temp (C)
30.0
29.5
29.0
28.5
0
5
10
15
20
25
time in hours from 0 UT 2018205


mu_15pos (V)
15.10
15.05
15.00
14.95
0
5
10
15
20
25
time in hours from 0 UT 2018205


mu_15neg (V)
-14.80
-14.85
-14.90
-14.95
-15.00
-15.05
-15.10
0
5
10
15
20
25
time in hours from 0 UT 2018205


mu_15_conv_temp (C)
30.5
30.0
29.5
29.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


mu_1553_trans_temp (C)
28.0
27.5
27.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


mu_cntl_fpga_temp (C)
29.0
28.5
28.0
27.5
0
5
10
15
20
25
time in hours from 0 UT 2018205


mu stats (DN)
tm_drop
fault_cnt
cmd_reject
cmd_pkt_rej
0
5
10
15
20
25
time in hours from 0 UT 2018205


mu_cpu_temp (C)
28.5
28.0
27.5
27.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


mu_gci_brd_temp (C)
28.0
27.5
27.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


mu_5_conv_temp (C)
31.0
30.5
30.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


mu_mem_brd_temp (C)
27.5
27.0
26.5
0
5
10
15
20
25
time in hours from 0 UT 2018205


ODC skip bit (1=set)
2.0
1.5
1.0
0.5
0.0
0
5
10
15
20
25
time in hours from 0 UT 2018205


egs_sas_x (V)
time in hours from 0 UT 2018205


egs_sas_y (V)
time in hours from 0 UT 2018205


sspp_sas_x (V)
time in hours from 0 UT 2018205


sspp_sas_y (V)
time in hours from 0 UT 2018205


egs_sas_sum (V)
time in hours from 0 UT 2018205


sspp_sas_sum (V)
time in hours from 0 UT 2018205


egs_slit_pos (0=off, 1/2=low/high cycle, 5/6=low/high error)
time in hours from 0 UT 2018205


stat_egs_cnt
time in hours from 0 UT 2018205


egs_door_pos (0=off, 1/2=close/open, 5/6=error)
time in hours from 0 UT 2018205


stat_xps_cnt
time in hours from 0 UT 2018205


stat_xps_num
time in hours from 0 UT 2018205


stat_cmp_pwr
egs
xps
sspp
mu
time in hours from 0 UT 2018205

SEE_CUR 2018205



SEE_SURV_HTR_CUR 2018205



SEE_OP_HTR_CUR 2018205



SSPP_BHND_XPS_TEMP 2018205



SSPP_BHND_MTR_TEMP 2018205



SEE_PKT_COUNT 2018205



BUS_VOLTAGE 2018205



SEE_MU Operational Mode 2018205




INTERNAL ERROR 2018205
16
8
0
0
5
10
15
20
25
time in hours based on sc4


ERRORS 2018205
safe_bit
edac_err
gci_err
0
5
10
15
20
25
time in hours based on sc4


ODC STATUS 2018205
2
1
0
0
5
10
15
20
25
time in hours based on sc4


ZONES (0=non-saa,1=saa,2=n.pole,3=s.pole)
4
0
0
5
10
15
20
25
time in hours based on sc4


SAA_FLAG 2018205
40
0
0
5
10
15
20
25
time in hours based on sc4


SUN_POS_X 2018205
1.0
0.5
0.0
-0.5
-1.0
0
5
10
15
20
25
time in hours based on sc4


SUN_POS_Y 2018205
-0.930
-0.935
-0.940
-0.945
-0.950
0
5
10
15
20
25
time in hours based on sc4


SUN_POS_Z 2018205
1.0
0.5
0.0
-0.5
-1.0
0
5
10
15
20
25
time in hours based on sc4


POSITION FLAGS 2018205
sc_pos
sun_pos
0
5
10
15
20
25
time in hours based on sc4


SC_POS_LAT 2018205
50
0
-50
0
5
10
15
20
25
time in hours based on sc4


SC_POS_LONG 2018205
300
200
100
0
0
5
10
15
20
25
time in hours based on sc4


SC_POS_ALT 2018205
660
650
640
630
620
610
0
5
10
15
20
25
time in hours based on sc4


SC4 BETA ANGLE 2018205
72
71
70
69
68
0
5
10
15
20
25
time in hours based on sc4