Information for 2018284


mu_5 (V)
5.05
5.00
4.95
0
5
10
15
20
25
time in hours from 0 UT 2018284


mu_cpu_brd_temp (C)
21
20
19
18
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_5 (V)
5.01
5.00
4.99
4.98
4.97
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_lamp_mon (V)
0.0
-0.2
-0.4
-0.6
-0.8
-1.0
-1.2
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_hv_mon (V)
2.02
2.00
1.98
1.96
1.94
1.92
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_5 (V)
5.04
5.02
5.00
4.98
4.96
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_egs_xneg_zneg_temp (C)
15.5
15.0
14.5
14.0
13.5
13.0
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_pos_1 (DEG)
126
124
122
120
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_5 (V)
5.04
5.02
5.00
4.98
4.96
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_pos (DN)
8
6
4
2
0
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_door_temp (C)
22
21
20
19
18
17
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_cntl_fpga_temp (C)
26
25
24
23
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_gci_brd_temp (C)
26
25
24
23
22
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_det_temp (C)
21
20
19
18
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_4 (V)
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_case_mid_temp (C)
19
18
17
16
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_15pos (V)
15.2
15.1
15.0
14.9
14.8
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_5_conv_temp (C)
26
25
24
23
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_sas_temp (C)
26
24
22
20
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_hvps_temp (C)
23
22
21
20
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_15neg (V)
-14.8
-14.9
-15.0
-15.1
-15.2
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_lamp_temp (C)
19
18
17
16
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_slit_temp (C)
21
20
19
18
17
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_15_conv_temp (C)
26
25
24
23
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_chg_amp_temp (C)
21
20
19
18
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_adc_temp (C)
29
28
27
26
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_xp2_temp (C)
17
16
15
14
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_data_fpga_temp (C)
20
18
16
14
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_xp1_temp (C)
18
17
16
15
14
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_4 (V)
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_front_xneg_temp (C)
17.0
16.5
16.0
15.5
15.0
14.5
14.0
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_back_xneg_temp (C)
17
16
15
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_15neg (V)
-14.95
-15.00
-15.05
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_5_conv_temp (C)
22
20
18
16
14
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_front_xpos_temp (C)
16.5
16.0
15.5
15.0
14.5
14.0
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_18_conv_temp (C)
17
16
15
14
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_motor_temp (C)
16.5
16.0
15.5
15.0
14.5
14.0
13.5
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_back_xpos_temp (C)
17.0
16.5
16.0
15.5
15.0
14.5
14.0
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_gci_brd_temp (C)
20
19
18
17
16
15
14
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_15_conv_temp (C)
22
20
18
16
14
0
5
10
15
20
25
time in hours from 0 UT 2018284


xps_adc_temp (C)
24
22
20
18
16
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_pos_2 (DEG)
126
125
124
123
122
121
120
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_sas_temp (C)
24
23
22
21
20
19
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_4 (V)
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_15pos (V)
15.04
15.02
15.00
14.98
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_5_conv_temp (C)
20
18
16
14
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_4_conv_temp (C)
19
18
17
16
15
14
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_15neg (V)
-14.90
-14.95
-15.00
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_egs_xpos_zpos_temp (C)
16.0
15.5
15.0
14.5
14.0
13.5
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_xps_xneg_zneg_temp (C)
17.0
16.5
16.0
15.5
15.0
14.5
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_ecu_temp (C)
17.0
16.5
16.0
15.5
15.0
14.5
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_xps_xpos_zpos_temp (C)
16.5
16.0
15.5
15.0
14.5
14.0
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_15_conv_temp (C)
20
18
16
14
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_actuator_temp (C)
18.0
17.5
17.0
16.5
16.0
15.5
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_adc_temp (C)
22
20
18
16
14
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_cntl_fpga_temp (C)
19
18
17
16
15
14
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_gci_brd_temp (C)
19
18
17
16
15
14
0
5
10
15
20
25
time in hours from 0 UT 2018284


sspp_egs_xneg_zpos_temp (C)
16.5
16.0
15.5
15.0
14.5
14.0
0
5
10
15
20
25
time in hours from 0 UT 2018284


mu_adc_temp (C)
24.0
23.5
23.0
22.5
22.0
21.5
21.0
0
5
10
15
20
25
time in hours from 0 UT 2018284


mu_adc_brd_temp (C)
21.0
20.5
20.0
19.5
19.0
18.5
18.0
0
5
10
15
20
25
time in hours from 0 UT 2018284


mu_4 (V)
4.00
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2018284


mu_gci_fpga_temp (C)
23
22
21
20
0
5
10
15
20
25
time in hours from 0 UT 2018284


mu_15pos (V)
15.10
15.05
15.00
14.95
0
5
10
15
20
25
time in hours from 0 UT 2018284


mu_15neg (V)
-14.90
-14.95
-15.00
0
5
10
15
20
25
time in hours from 0 UT 2018284


mu_15_conv_temp (C)
24.0
23.5
23.0
22.5
22.0
21.5
21.0
0
5
10
15
20
25
time in hours from 0 UT 2018284


mu_1553_trans_temp (C)
21
20
19
0
5
10
15
20
25
time in hours from 0 UT 2018284


mu_cntl_fpga_temp (C)
22
21
20
19
0
5
10
15
20
25
time in hours from 0 UT 2018284


mu stats (DN)
tm_drop
fault_cnt
cmd_reject
cmd_pkt_rej
0
5
10
15
20
25
time in hours from 0 UT 2018284


mu_cpu_temp (C)
22
21
20
19
0
5
10
15
20
25
time in hours from 0 UT 2018284


mu_gci_brd_temp (C)
21
20
19
0
5
10
15
20
25
time in hours from 0 UT 2018284


mu_5_conv_temp (C)
24.5
24.0
23.5
23.0
22.5
22.0
21.5
0
5
10
15
20
25
time in hours from 0 UT 2018284


mu_mem_brd_temp (C)
21.0
20.5
20.0
19.5
19.0
18.5
18.0
0
5
10
15
20
25
time in hours from 0 UT 2018284


ODC skip bit (1=set)
2.0
1.5
1.0
0.5
0.0
0
5
10
15
20
25
time in hours from 0 UT 2018284


egs_sas_x (V)
time in hours from 0 UT 2018284


egs_sas_y (V)
time in hours from 0 UT 2018284


sspp_sas_x (V)
time in hours from 0 UT 2018284


sspp_sas_y (V)
time in hours from 0 UT 2018284


egs_sas_sum (V)
time in hours from 0 UT 2018284


sspp_sas_sum (V)
time in hours from 0 UT 2018284


egs_slit_pos (0=off, 1/2=low/high cycle, 5/6=low/high error)
time in hours from 0 UT 2018284


stat_egs_cnt
time in hours from 0 UT 2018284


egs_door_pos (0=off, 1/2=close/open, 5/6=error)
time in hours from 0 UT 2018284


stat_xps_cnt
time in hours from 0 UT 2018284


stat_xps_num
time in hours from 0 UT 2018284


stat_cmp_pwr
egs
xps
sspp
mu
time in hours from 0 UT 2018284

SEE_CUR 2018284



SEE_SURV_HTR_CUR 2018284



SEE_OP_HTR_CUR 2018284



SSPP_BHND_XPS_TEMP 2018284




SSPP_BHND_MTR_TEMP 2018284
30
10
-10
0
5
10
15
20
25
time in hours based on sc7


SEE_PKT_COUNT 2018284
2x10^4
1x10^4
0
0
5
10
15
20
25
time in hours based on sc7


BUS_VOLTAGE 2018284
36
28
20
0
5
10
15
20
25
time in hours based on sc4


SEE_MU Operational Mode 2018284
100
50
0
0
5
10
15
20
25
time in hours based on sc4


INTERNAL ERROR 2018284
16
8
0
0
5
10
15
20
25
time in hours based on sc4


ERRORS 2018284
safe_bit
edac_err
gci_err
0
5
10
15
20
25
time in hours based on sc4


ODC STATUS 2018284
2
1
0
0
5
10
15
20
25
time in hours based on sc4


ZONES (0=non-saa,1=saa,2=n.pole,3=s.pole)
4
0
0
5
10
15
20
25
time in hours based on sc4


SAA_FLAG 2018284
40
0
0
5
10
15
20
25
time in hours based on sc4


SUN_POS_X 2018284
1.0
0.5
0.0
-0.5
-1.0
0
5
10
15
20
25
time in hours based on sc4


SUN_POS_Y 2018284
-0.850
-0.855
-0.860
-0.865
-0.870
-0.875
0
5
10
15
20
25
time in hours based on sc4


SUN_POS_Z 2018284
1.0
0.5
0.0
-0.5
-1.0
0
5
10
15
20
25
time in hours based on sc4


POSITION FLAGS 2018284
sc_pos
sun_pos
0
5
10
15
20
25
time in hours based on sc4


SC_POS_LAT 2018284
50
0
-50
0
5
10
15
20
25
time in hours based on sc4


SC_POS_LONG 2018284
300
200
100
0
0
5
10
15
20
25
time in hours based on sc4


SC_POS_ALT 2018284
660
650
640
630
620
610
0
5
10
15
20
25
time in hours based on sc4


SC4 BETA ANGLE 2018284
-58.0
-58.5
-59.0
-59.5
-60.0
-60.5
-61.0
-61.5
0
5
10
15
20
25
time in hours based on sc4