```
Information for      2020055
04:16:00.000: see_stat[1]: 13 internal error
```


mu_5 (V)
5.05
5.00
4.95
0
5
10
15
20
25
time in hours from 0 UT 2020055


mu_cpu_brd_temp (C)
24
23
22
21
20
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_5 (V)
5.02
5.00
4.98
4.96
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_lamp_mon (V)
0.1
0.0
-0.1
-0.2
-0.3
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_hv_mon (V)
2.10
2.05
2.00
1.95
1.90
1.85
1.80
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_5 (V)
5.06
5.04
5.02
5.00
4.98
4.96
4.94
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_egs_xneg_zneg_temp (C)
18.5
18.0
17.5
17.0
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_pos_1 (DEG)
178
176
174
172
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_5 (V)
5.04
5.02
5.00
4.98
4.96
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_pos (DN)
8
6
4
2
0
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_door_temp (C)
21
20
19
18
17
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_cntl_fpga_temp (C)
29
28
27
26
25
24
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_gci_brd_temp (C)
29
28
27
26
25
24
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_det_temp (C)
22
21
20
19
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_4 (V)
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_case_mid_temp (C)
21
20
19
18
17
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_15pos (V)
15.05
15.00
14.95
14.90
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_5_conv_temp (C)
29
28
27
26
25
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_sas_temp (C)
26
24
22
20
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_hvps_temp (C)
23
22
21
20
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_15neg (V)
-14.90
-14.95
-15.00
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_lamp_temp (C)
21
20
19
18
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_slit_temp (C)
22
21
20
19
18
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_15_conv_temp (C)
29
28
27
26
25
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_chg_amp_temp (C)
22
21
20
19
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_adc_temp (C)
32
31
30
29
28
27
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_xp2_temp (C)
16.5
16.0
15.5
15.0
14.5
14.0
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_data_fpga_temp (C)
22
21
20
19
18
17
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_xp1_temp (C)
16.5
16.0
15.5
15.0
14.5
14.0
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_4 (V)
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_front_xneg_temp (C)
16.0
15.5
15.0
14.5
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_back_xneg_temp (C)
16.0
15.5
15.0
14.5
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_15neg (V)
-14.95
-15.00
-15.05
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_5_conv_temp (C)
22
20
18
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_front_xpos_temp (C)
16.0
15.5
15.0
14.5
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_18_conv_temp (C)
16.5
16.0
15.5
15.0
14.5
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_motor_temp (C)
16.0
15.5
15.0
14.5
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_back_xpos_temp (C)
16.0
15.5
15.0
14.5
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_gci_brd_temp (C)
21
20
19
18
17
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_15_conv_temp (C)
24
22
20
18
0
5
10
15
20
25
time in hours from 0 UT 2020055


xps_adc_temp (C)
24
22
20
18
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_pos_2 (DEG)
178
176
174
172
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_sas_temp (C)
20
19
18
17
16
15
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_4 (V)
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_15pos (V)
15.04
15.02
15.00
14.98
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_5_conv_temp (C)
23
22
21
20
19
18
17
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_4_conv_temp (C)
20
19
18
17
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_15neg (V)
-14.90
-14.95
-15.00
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_egs_xpos_zpos_temp (C)
18.5
18.0
17.5
17.0
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_xps_xneg_zneg_temp (C)
17.6
17.4
17.2
17.0
16.8
16.6
16.4
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_ecu_temp (C)
18.5
18.0
17.5
17.0
16.5
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_xps_xpos_zpos_temp (C)
18.0
17.5
17.0
16.5
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_15_conv_temp (C)
22
20
18
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_actuator_temp (C)
16.0
15.5
15.0
14.5
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_adc_temp (C)
24
22
20
18
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_cntl_fpga_temp (C)
20
19
18
17
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_gci_brd_temp (C)
20
19
18
17
0
5
10
15
20
25
time in hours from 0 UT 2020055


sspp_egs_xneg_zpos_temp (C)
18.5
18.0
17.5
0
5
10
15
20
25
time in hours from 0 UT 2020055


mu_adc_temp (C)
27
26
25
24
0
5
10
15
20
25
time in hours from 0 UT 2020055


mu_adc_brd_temp (C)
24
23
22
21
0
5
10
15
20
25
time in hours from 0 UT 2020055


mu_4 (V)
4.00
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2020055


mu_gci_fpga_temp (C)
26
25
24
23
0
5
10
15
20
25
time in hours from 0 UT 2020055


mu_15pos (V)
15.15
15.10
15.05
15.00
14.95
14.90
0
5
10
15
20
25
time in hours from 0 UT 2020055


mu_15neg (V)
-14.90
-14.95
-15.00
0
5
10
15
20
25
time in hours from 0 UT 2020055


mu_15_conv_temp (C)
26
25
24
23
0
5
10
15
20
25
time in hours from 0 UT 2020055


mu_1553_trans_temp (C)
24
23
22
21
0
5
10
15
20
25
time in hours from 0 UT 2020055


mu_cntl_fpga_temp (C)
25
24
23
22
0
5
10
15
20
25
time in hours from 0 UT 2020055


mu stats (DN)
tm_drop
fault_cnt
cmd_reject
cmd_pkt_rej
0
5
10
15
20
25
time in hours from 0 UT 2020055


mu_cpu_temp (C)
25
24
23
22
21
0
5
10
15
20
25
time in hours from 0 UT 2020055


mu_gci_brd_temp (C)
24
23
22
21
0
5
10
15
20
25
time in hours from 0 UT 2020055


mu_5_conv_temp (C)
27
26
25
24
0
5
10
15
20
25
time in hours from 0 UT 2020055


mu_mem_brd_temp (C)
24
23
22
21
0
5
10
15
20
25
time in hours from 0 UT 2020055


ODC skip bit (1=set)
2.0
1.5
1.0
0.5
0.0
0
5
10
15
20
25
time in hours from 0 UT 2020055


egs_sas_x (V)
time in hours from 0 UT 2020055


egs_sas_y (V)
time in hours from 0 UT 2020055


sspp_sas_x (V)
time in hours from 0 UT 2020055


sspp_sas_y (V)
time in hours from 0 UT 2020055


egs_sas_sum (V)
time in hours from 0 UT 2020055


sspp_sas_sum (V)
time in hours from 0 UT 2020055


egs_slit_pos (0=off, 1/2=low/high cycle, 5/6=low/high error)
time in hours from 0 UT 2020055


stat_egs_cnt
time in hours from 0 UT 2020055


egs_door_pos (0=off, 1/2=close/open, 5/6=error)
time in hours from 0 UT 2020055


stat_xps_cnt
time in hours from 0 UT 2020055


stat_xps_num
time in hours from 0 UT 2020055


stat_cmp_pwr
egs
xps
sspp
mu
time in hours from 0 UT 2020055

SEE_CUR 2020055



SEE_SURV_HTR_CUR 2020055



SEE_OP_HTR_CUR 2020055



SSPP_BHND_XPS_TEMP 2020055



SSPP_BHND_MTR_TEMP 2020055



SEE_PKT_COUNT 2020055



BUS_VOLTAGE 2020055



SEE_MU Operational Mode 2020055




INTERNAL ERROR 2020055
16
8
0
0
5
10
15
20
25
time in hours based on sc4


ERRORS 2020055
safe_bit
edac_err
gci_err
0
5
10
15
20
25
time in hours based on sc4


ODC STATUS 2020055
2
1
0
0
5
10
15
20
25
time in hours based on sc4


ZONES (0=non-saa,1=saa,2=n.pole,3=s.pole)
4
0
0
5
10
15
20
25
time in hours based on sc4


SAA_FLAG 2020055
40
0
0
5
10
15
20
25
time in hours based on sc4


SUN_POS_X 2020055
1.0
0.5
0.0
-0.5
-1.0
0
5
10
15
20
25
time in hours based on sc4


SUN_POS_Y 2020055
-0.05
-0.06
-0.07
-0.08
-0.09
-0.10
-0.11
-0.12
0
5
10
15
20
25
time in hours based on sc4


SUN_POS_Z 2020055
1.0
0.5
0.0
-0.5
-1.0
0
5
10
15
20
25
time in hours based on sc4


POSITION FLAGS 2020055
sc_pos
sun_pos
0
5
10
15
20
25
time in hours based on sc4


SC_POS_LAT 2020055
50
0
-50
0
5
10
15
20
25
time in hours based on sc4


SC_POS_LONG 2020055
300
200
100
0
0
5
10
15
20
25
time in hours based on sc4


SC_POS_ALT 2020055
660
650
640
630
620
610
0
5
10
15
20
25
time in hours based on sc4


SC4 BETA ANGLE 2020055
-3
-4
-5
-6
-7
0
5
10
15
20
25
time in hours based on sc4