```
Information for      2020070
23:21:59.002: see_stat[1]: 8 internal error
```


mu_5 (V)
5.05
5.00
4.95
0
5
10
15
20
25
time in hours from 0 UT 2020070


mu_cpu_brd_temp (C)
22
20
18
0
5
10
15
20
25
time in hours from 0 UT 2020070


egs_5 (V)
5.02
5.01
5.00
4.99
4.98
4.97
0
5
10
15
20
25
time in hours from 0 UT 2020070


egs_lamp_mon (V)
0.0
-0.2
-0.4
-0.6
-0.8
-1.0
-1.2
0
5
10
15
20
25
time in hours from 0 UT 2020070


egs_hv_mon (V)
2.10
2.05
2.00
1.95
1.90
1.85
1.80
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_5 (V)
5.04
5.02
5.00
4.98
4.96
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_egs_xneg_zneg_temp (C)
20
18
16
14
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_pos_1 (DEG)
148
146
144
142
0
5
10
15
20
25
time in hours from 0 UT 2020070


xps_5 (V)
5.04
5.02
5.00
4.98
4.96
0
5
10
15
20
25
time in hours from 0 UT 2020070


xps_pos (DN)
8
6
4
2
0
0
5
10
15
20
25
time in hours from 0 UT 2020070


egs_door_temp (C)
20
18
16
14
0
5
10
15
20
25
time in hours from 0 UT 2020070


egs_cntl_fpga_temp (C)
28
26
24
22
0
5
10
15
20
25
time in hours from 0 UT 2020070


egs_gci_brd_temp (C)
30
28
26
24
22
20
0
5
10
15
20
25
time in hours from 0 UT 2020070


egs_det_temp (C)
21
20
19
18
17
0
5
10
15
20
25
time in hours from 0 UT 2020070


egs_4 (V)
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2020070


egs_case_mid_temp (C)
20
18
16
14
0
5
10
15
20
25
time in hours from 0 UT 2020070


egs_15pos (V)
15.10
15.05
15.00
14.95
14.90
14.85
14.80
0
5
10
15
20
25
time in hours from 0 UT 2020070


egs_5_conv_temp (C)
28
26
24
22
0
5
10
15
20
25
time in hours from 0 UT 2020070


egs_sas_temp (C)
26
24
22
20
18
0
5
10
15
20
25
time in hours from 0 UT 2020070


egs_hvps_temp (C)
23
22
21
20
19
18
0
5
10
15
20
25
time in hours from 0 UT 2020070


egs_15neg (V)
-14.8
-14.9
-15.0
-15.1
-15.2
0 5 10 15 20 25
time in hours from 0 UT 2020070


egs_lamp_temp (C)
20 19 18 17 16 15
0 5 10 15 20 25
time in hours from 0 UT 2020070


egs_slit_temp (C)
21 20 19 18 17 16 15
0 5 10 15 20 25
time in hours from 0 UT 2020070


egs_15_conv_temp (C)
28 26 24 22
0 5 10 15 20 25
time in hours from 0 UT 2020070


egs_chg_amp_temp (C)
21 20 19 18 17 16
0 5 10 15 20 25
time in hours from 0 UT 2020070


egs_adc_temp (C)
32 30 28 26 24
0 5 10 15 20 25
time in hours from 0 UT 2020070


xps_xp2_temp (C)
15 14 13 12
0 5 10 15 20 25
time in hours from 0 UT 2020070


xps_data_fpga_temp (C)
20 18 16 14
0 5 10 15 20 25
time in hours from 0 UT 2020070


xps_xp1_temp (C)
15 14 13 12
0 5 10 15 20 25
time in hours from 0 UT 2020070


xps_4 (V)
4.00 3.95 3.90 3.85
0 5 10 15 20 25
time in hours from 0 UT 2020070


xps_front_xneg_temp (C)
14.0
13.5
13.0
12.5
12.0
11.5
0
5
10
15
20
25
time in hours from 0 UT 2020070


xps_back_xneg_temp (C)
14.5
14.0
13.5
13.0
12.5
12.0
11.5
0
5
10
15
20
25
time in hours from 0 UT 2020070


xps_15neg (V)
-14.95
-15.00
-15.05
0
5
10
15
20
25
time in hours from 0 UT 2020070


xps_5_conv_temp (C)
22
20
18
16
14
0
5
10
15
20
25
time in hours from 0 UT 2020070


xps_front_xpos_temp (C)
14.5
14.0
13.5
13.0
12.5
12.0
0
5
10
15
20
25
time in hours from 0 UT 2020070


xps_18_conv_temp (C)
15.0
14.5
14.0
13.5
13.0
12.5
12.0
0
5
10
15
20
25
time in hours from 0 UT 2020070


xps_motor_temp (C)
14.5
14.0
13.5
13.0
12.5
12.0
0
5
10
15
20
25
time in hours from 0 UT 2020070


xps_back_xpos_temp (C)
14.5
14.0
13.5
13.0
12.5
12.0
11.5
0
5
10
15
20
25
time in hours from 0 UT 2020070


xps_gci_brd_temp (C)
19
18
17
16
15
14
0
5
10
15
20
25
time in hours from 0 UT 2020070


xps_15_conv_temp (C)
22
20
18
16
14
0
5
10
15
20
25
time in hours from 0 UT 2020070


xps_adc_temp (C)
24
22
20
18
16
14
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_pos_2 (DEG)
148
146
144
142
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_sas_temp (C)
25
24
23
22
21
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_4 (V)
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_15pos (V)
15.04
15.02
15.00
14.98
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_5_conv_temp (C)
20
18
16
14
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_4_conv_temp (C)
19
18
17
16
15
14
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_15neg (V)
-14.90
-14.95
-15.00
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_egs_xpos_zpos_temp (C)
20
18
16
14
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_xps_xneg_zneg_temp (C)
15.5
15.0
14.5
14.0
13.5
13.0
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_ecu_temp (C)
16.5
16.0
15.5
15.0
14.5
14.0
13.5
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_xps_xpos_zpos_temp (C)
17
16
15
14
13
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_15_conv_temp (C)
20
18
16
14
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_actuator_temp (C)
17.0
16.5
16.0
15.5
15.0
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_adc_temp (C)
22
20
18
16
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_cntl_fpga_temp (C)
19
18
17
16
15
14
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_gci_brd_temp (C)
19
18
17
16
15
14
0
5
10
15
20
25
time in hours from 0 UT 2020070


sspp_egs_xneg_zpos_temp (C)
20
19
18
17
16
15
14
0
5
10
15
20
25
time in hours from 0 UT 2020070


mu_adc_temp (C)
26
24
22
20
0
5
10
15
20
25
time in hours from 0 UT 2020070


mu_adc_brd_temp (C)
24
22
20
18
0
5
10
15
20
25
time in hours from 0 UT 2020070


mu_4 (V)
4.00
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2020070


mu_gci_fpga_temp (C)
26
24
22
20
0
5
10
15
20
25
time in hours from 0 UT 2020070


mu_15pos (V)
15.2
15.1
15.0
14.9
14.8
0
5
10
15
20
25
time in hours from 0 UT 2020070


mu_15neg (V)
-14.90
-14.95
-15.00
0
5
10
15
20
25
time in hours from 0 UT 2020070


mu_15_conv_temp (C)
26
24
22
20
0
5
10
15
20
25
time in hours from 0 UT 2020070


mu_1553_trans_temp (C)
24
22
20
18
0
5
10
15
20
25
time in hours from 0 UT 2020070


mu_cntl_fpga_temp (C)
24
22
20
18
0
5
10
15
20
25
time in hours from 0 UT 2020070


mu stats (DN)
tm_drop
fault_cnt
cmd_reject
cmd_pkt_rej
0
5
10
15
20
25
time in hours from 0 UT 2020070


mu_cpu_temp (C)
24
22
20
18
0
5
10
15
20
25
time in hours from 0 UT 2020070


mu_gci_brd_temp (C)
24
22
20
18
0
5
10
15
20
25
time in hours from 0 UT 2020070


mu_5_conv_temp (C)
26
24
22
0
5
10
15
20
25
time in hours from 0 UT 2020070


mu_mem_brd_temp (C)
24
22
20
18
0
5
10
15
20
25
time in hours from 0 UT 2020070


ODC skip bit (1=set)
2.0
1.5
1.0
0.5
0.0
0
5
10
15
20
25
time in hours from 0 UT 2020070


egs_sas_x (V)
time in hours from 0 UT 2020070


egs_sas_y (V)
time in hours from 0 UT 2020070


sspp_sas_x (V)
time in hours from 0 UT 2020070


sspp_sas_y (V)
time in hours from 0 UT 2020070


egs_sas_sum (V)
time in hours from 0 UT 2020070


sspp_sas_sum (V)
time in hours from 0 UT 2020070


egs_slit_pos (0=off, 1/2=low/high cycle, 5/6=low/high error)
time in hours from 0 UT 2020070


stat_egs_cnt
time in hours from 0 UT 2020070


egs_door_pos (0=off, 1/2=close/open, 5/6=error)
time in hours from 0 UT 2020070


stat_xps_cnt
time in hours from 0 UT 2020070


stat_xps_num
time in hours from 0 UT 2020070


stat_cmp_pwr
egs
xps
sspp
mu
time in hours from 0 UT 2020070

SEE_CUR 2020070



SEE_SURV_HTR_CUR 2020070



SEE_OP_HTR_CUR 2020070



SSPP_BHND_XPS_TEMP 2020070




SSPP_BHND_MTR_TEMP 2020070
30
10
-10
0
5
10
15
20
25
time in hours based on sc7


SEE_PKT_COUNT 2020070
2x10^4
1x10^4
0
0
5
10
15
20
25
time in hours based on sc7


BUS_VOLTAGE 2020070
36
28
20
0
5
10
15
20
25
time in hours based on sc4


SEE_MU Operational Mode 2020070
100
50
0
0
5
10
15
20
25
time in hours based on sc4


INTERNAL ERROR 2020070
16
8
0
0
5
10
15
20
25
time in hours based on sc4
ERRORS 2020070
safe_bit
edac_err
gci_err
0
5
10
15
20
25
time in hours based on sc4
ODC STATUS 2020070
2
1
0
0
5
10
15
20
25
time in hours based on sc4
ZONES (0=non-saa,1=saa,2=n.pole,3=s.pole)
4
0
0
5
10
15
20
25
time in hours based on sc4
SAA_FLAG 2020070
40
0
0
5
10
15
20
25
time in hours based on sc4


SUN_POS_X 2020070
1.0
0.5
0.0
-0.5
-1.0
0
5
10
15
20
25
time in hours based on sc4


SUN_POS_Y 2020070
-0.59
-0.60
-0.61
-0.62
-0.63
-0.64
0
5
10
15
20
25
time in hours based on sc4


SUN_POS_Z 2020070
1.0
0.5
0.0
-0.5
-1.0
0
5
10
15
20
25
time in hours based on sc4


POSITION FLAGS 2020070
sc_pos
sun_pos
0
5
10
15
20
25
time in hours based on sc4


SC_POS_LAT 2020070
50
0
-50
0
5
10
15
20
25
time in hours based on sc4


SC_POS_LONG 2020070
300
200
100
0
0
5
10
15
20
25
time in hours based on sc4


SC_POS_ALT 2020070
660
650
640
630
620
610
0
5
10
15
20
25
time in hours based on sc4


SC4 BETA ANGLE 2020070
40
39
38
37
36
0
5
10
15
20
25
time in hours based on sc4