Information for 2020118


mu_5 (V)
5.05
5.00
4.95
0
5
10
15
20
25
time in hours from 0 UT 2020118


mu_cpu_brd_temp (C)
22.5
22.0
21.5
21.0
20.5
20.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_5 (V)
5.02
5.01
5.00
4.99
4.98
4.97
4.96
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_lamp_mon (V)
0.1
0.0
-0.1
-0.2
-0.3
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_hv_mon (V)
2.1
2.0
1.9
1.8
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_5 (V)
5.04
5.02
5.00
4.98
4.96
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_egs_xneg_zneg_temp (C)
18.2
18.0
17.8
17.6
17.4
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_pos_1 (DEG)
180
179
178
177
176
175
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_5 (V)
5.04
5.02
5.00
4.98
4.96
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_pos (DN)
8
6
4
2
0
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_door_temp (C)
19
18
17
16
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_cntl_fpga_temp (C)
28
27
26
25
24
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_gci_brd_temp (C)
28
27
26
25
24
23
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_det_temp (C)
21.0
20.5
20.0
19.5
19.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_4 (V)
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_case_mid_temp (C)
20.0
19.5
19.0
18.5
18.0
17.5
17.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_15pos (V)
15.05
15.00
14.95
14.90
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_5_conv_temp (C)
28
27
26
25
24
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_sas_temp (C)
25
24
23
22
21
20
19
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_hvps_temp (C)
22.5
22.0
21.5
21.0
20.5
20.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_15neg (V)
-14.90
-14.95
-15.00
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_lamp_temp (C)
19.5
19.0
18.5
18.0
17.5
17.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_slit_temp (C)
20.0
19.5
19.0
18.5
18.0
17.5
17.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_15_conv_temp (C)
28
27
26
25
24
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_chg_amp_temp (C)
21.0
20.5
20.0
19.5
19.0
18.5
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_adc_temp (C)
31
30
29
28
27
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_xp2_temp (C)
14.5
14.0
13.5
13.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_data_fpga_temp (C)
21
20
19
18
17
16
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_xp1_temp (C)
14.5
14.0
13.5
13.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_4 (V)
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_front_xneg_temp (C)
14.2
14.0
13.8
13.6
13.4
13.2
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_back_xneg_temp (C)
14.2
14.0
13.8
13.6
13.4
13.2
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_15neg (V)
-14.95
-15.00
-15.05
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_5_conv_temp (C)
22
20
18
16
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_front_xpos_temp (C)
14.6
14.4
14.2
14.0
13.8
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_18_conv_temp (C)
15.0
14.8
14.6
14.4
14.2
14.0
13.8
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_motor_temp (C)
14.4
14.2
14.0
13.8
13.6
13.4
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_back_xpos_temp (C)
14.4
14.2
14.0
13.8
13.6
13.4
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_gci_brd_temp (C)
20
19
18
17
16
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_15_conv_temp (C)
22
20
18
16
0
5
10
15
20
25
time in hours from 0 UT 2020118


xps_adc_temp (C)
24
22
20
18
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_pos_2 (DEG)
180
179
178
177
176
175
174
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_sas_temp (C)
24.0
23.5
23.0
22.5
22.0
21.5
21.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_4 (V)
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_15pos (V)
15.04
15.02
15.00
14.98
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_5_conv_temp (C)
22
21
20
19
18
17
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_4_conv_temp (C)
19.0
18.5
18.0
17.5
17.0
16.5
16.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_15neg (V)
-14.90
-14.95
-15.00
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_egs_xpos_zpos_temp (C)
18.4
18.2
18.0
17.8
17.6
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_xps_xneg_zneg_temp (C)
16.0
15.8
15.6
15.4
15.2
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_ecu_temp (C)
17.2
17.0
16.8
16.6
16.4
16.2
16.0
15.8
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_xps_xpos_zpos_temp (C)
16.8
16.6
16.4
16.2
16.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_15_conv_temp (C)
22
21
20
19
18
17
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_actuator_temp (C)
16.4
16.2
16.0
15.8
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_adc_temp (C)
22
20
18
16
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_cntl_fpga_temp (C)
19.5
19.0
18.5
18.0
17.5
17.0
16.5
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_gci_brd_temp (C)
19.0
18.5
18.0
17.5
17.0
16.5
16.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


sspp_egs_xneg_zpos_temp (C)
18.0
17.8
17.6
17.4
17.2
17.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


mu_adc_temp (C)
26.0
25.5
25.0
24.5
24.0
23.5
23.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


mu_adc_brd_temp (C)
23.0
22.5
22.0
21.5
21.0
20.5
20.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


mu_4 (V)
4.00
3.95
3.90
3.85
0
5
10
15
20
25
time in hours from 0 UT 2020118


mu_gci_fpga_temp (C)
25.0
24.5
24.0
23.5
23.0
22.5
22.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


mu_15pos (V)
15.10
15.05
15.00
14.95
0
5
10
15
20
25
time in hours from 0 UT 2020118


mu_15neg (V)
-14.90
-14.95
-15.00
0
5
10
15
20
25
time in hours from 0 UT 2020118


mu_15_conv_temp (C)
25
24
23
0
5
10
15
20
25
time in hours from 0 UT 2020118


mu_1553_trans_temp (C)
23.5
23.0
22.5
22.0
21.5
21.0
20.5
0
5
10
15
20
25
time in hours from 0 UT 2020118


mu_cntl_fpga_temp (C)
24.0
23.5
23.0
22.5
22.0
21.5
0
5
10
15
20
25
time in hours from 0 UT 2020118


mu stats (DN)
tm_drop
fault_cnt
cmd_reject
cmd_pkt_rej
0
5
10
15
20
25
time in hours from 0 UT 2020118


mu_cpu_temp (C)
23.5
23.0
22.5
22.0
21.5
21.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


mu_gci_brd_temp (C)
23.5
23.0
22.5
22.0
21.5
21.0
20.5
0
5
10
15
20
25
time in hours from 0 UT 2020118


mu_5_conv_temp (C)
26
25
24
23
0
5
10
15
20
25
time in hours from 0 UT 2020118


mu_mem_brd_temp (C)
23.0
22.5
22.0
21.5
21.0
20.5
20.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


ODC skip bit (1=set)
2.0
1.5
1.0
0.5
0.0
0
5
10
15
20
25
time in hours from 0 UT 2020118


egs_sas_x (V)
time in hours from 0 UT 2020118


egs_sas_y (V)
time in hours from 0 UT 2020118


sspp_sas_x (V)
time in hours from 0 UT 2020118


sspp_sas_y (V)
time in hours from 0 UT 2020118


egs_sas_sum (V)
time in hours from 0 UT 2020118


sspp_sas_sum (V)
time in hours from 0 UT 2020118


egs_slit_pos (0=off, 1/2=low/high cycle, 5/6=low/high error)
time in hours from 0 UT 2020118


stat_egs_cnt
time in hours from 0 UT 2020118


egs_door_pos (0=off, 1/2=close/open, 5/6=error)
time in hours from 0 UT 2020118


stat_xps_cnt
time in hours from 0 UT 2020118


stat_xps_num
time in hours from 0 UT 2020118


stat_cmp_pwr
egs
xps
sspp
mu
time in hours from 0 UT 2020118

SEE_CUR 2020118



SEE_SURV_HTR_CUR 2020118



SEE_OP_HTR_CUR 2020118



SSPP_BHND_XPS_TEMP 2020118



SSPP_BHND_MTR_TEMP 2020118



SEE_PKT_COUNT 2020118



BUS_VOLTAGE 2020118



SEE_MU Operational Mode 2020118




INTERNAL ERROR 2020118
16
8
0
0
5
10
15
20
25
time in hours based on sc4


ERRORS 2020118
safe_bit
edac_err
gci_err
0
5
10
15
20
25
time in hours based on sc4


ODC STATUS 2020118
2
1
0
0
5
10
15
20
25
time in hours based on sc4


ZONES (0=non-saa,1=saa,2=n.pole,3=s.pole)
4
0
0
5
10
15
20
25
time in hours based on sc4


SAA_FLAG 2020118
40
0
0
5
10
15
20
25
time in hours based on sc4


SUN_POS_X 2020118
1.0
0.5
0.0
-0.5
-1.0
0
5
10
15
20
25
time in hours based on sc4


SUN_POS_Y 2020118
-0.02
-0.03
-0.04
-0.05
-0.06
-0.07
-0.08
0
5
10
15
20
25
time in hours based on sc4


SUN_POS_Z 2020118
1.0
0.5
0.0
-0.5
-1.0
0
5
10
15
20
25
time in hours based on sc4


POSITION FLAGS 2020118
sc_pos
sun_pos
0
5
10
15
20
25
time in hours based on sc4


SC_POS_LAT 2020118
50
0
-50
0
5
10
15
20
25
time in hours based on sc4


SC_POS_LONG 2020118
300
200
100
0
0
5
10
15
20
25
time in hours based on sc4


SC_POS_ALT 2020118
660
650
640
630
620
610
0
5
10
15
20
25
time in hours based on sc4


SC4 BETA ANGLE 2020118
5.0
4.5
4.0
3.5
3.0
2.5
2.0
1.5
0
5
10
15
20
25
time in hours based on sc4